

# Air Conditioner

PAC-P Series (PORTABLE TYPE)



MADE IN CHINA

CFC free R410a Refrigerant Auto  
Water Evaporating  
No Water Drainage  
LED Display  
24 Hour Timer  
Sleep Mode  
Direct Washing Filter

## Specifications

Model No.	PAC-P09T2	PAC-P12T2	PAC-P14T2
Cooling/Heating	9000/9000	12000/12000	14000/14000
Cooling/Heating	2500/2500	2500/2500	2500/2500
Refrigerant / Charge	R410a	R410a	R410a
Power supply	1/220-240/50	1/220-240/50	1/220-240/50
Power input (Cooling/Heating)	800/800	1050/950	1350/1100
Operating current (Cooling/Heating)	3.7/3.7	4.7/4.4	6.2/5
Net dimensions (WxHxD)	463x775x382	463x775x382	463x775x382
Net weight	30	31	31
Packing dimensions (WxHxD)	550x865x550	550x865x550	550x865x550
Gross weight	37	38	38
Control method	Electronic/Remote	Electronic/Remote	Electronic/Remote
Exhaust hose length	1.5	1.5	1.5
Applicable area	14 - 21	16-24	16-24
20FT/40FT/40FT HQ	110/240/356	110/240/356	110/240/356

# Air Conditioner

PAC Series (SPLIT TYPE)



MADE IN CHINA

CFC free R410a Refrigerant Auto  
Water Evaporating  
No Water Drainage  
LED Display  
24 Hour Timer  
Sleep Mode  
Direct Washing Filter

## Specifications

Model No.	PAC-09CHSA/BK	PAC-12CHSA/BK	PAC-18CHSA/BK	PPAC-24CHSA/BK
Type	Heating Pump	Heating Pump	Heating Pump	Heating Pump
Control type	Remote Control	Remote Control	Remote Control	Remote Control
Rated cooling capacity	9000:2640	12000:3520	18000:5280	24000:7030
Rated heating capacity	9500:2780	12500:3660	18500:5420	24500:7180
Power supply	220-240V~/50Hz/1P	220-240V~/50Hz/1P	220-240V~/50Hz/1P	220-240V~/50Hz/1P
Suitable area	9~16	15~23	20~35	30~50
Net dimensions Indoor	718x240x180	770x240x180	900x280x202	900x280x202
Net dimensions Outdoor	600x500x232	700x552x256	760x552x256	902x650x307
Net weight Indoor	7	8	11	11
Net weight Outdoor	25	30	36	52
Packing dimensions Indoor	805 x 305 x 255	855 x 305 x 255	995x365x298	995x365x298
Packing dimensions Outdoor	745x550x353	803x598x380	863x598x376	1037x705x433
Gross weight Indoor	9	10	14	14
Gross weight Outdoor	28	34	40	58

# Air Conditioner (Android Control Inverter)

TAC Series



MADE IN CHINA

## Specifications

Model No.	TAC-09CHSA/EH	TAC-12CHSA/EH
Type	Heating Pump	Heating Pump
Control type	Remote Control	Remote Control
Rated cooling capacity	2600(300~3500)	3500(600~4200)
Rated heating capacity	3600(500~4500)+1000	4400(600~5400)+1000
Power supply	220~240V~/50Hz/1P	220~240V~/50Hz/1P
Net dimensions Indoor	908×315×160	908×315×160
Net dimensions Outdoor	760×256×551	780×290×605
Net weight Indoor	10	11
Net weight Outdoor	32	32
Packing dimensions Indoor	1020×416×265	1020×416×265
Packing dimensions Outdoor	863×361×590	883×412×653
Gross weight Indoor	12.5	13
Gross weight Outdoor	37	37