PSI-602



MADE IN CHINA

### **Specifications**

Adjustable temperature of all kinds of fabrics

Adjustable steam

Max amount of steam: 8-20g/min

Water spray  $\geq 0.2g/time$ 

120ml capacity of water tank

Steam & spray function

Minimum Quantity: 3000pcs

1X20': 5760pcs

1X40': 11840pcs

1X40' HQ: 13160pcs



PSI-618



MADE IN CHINA

### **Specifications**

Adjustable temperature for all kinds of fabrics

Continuous adjustable steam

230V,1800W

Burst of steam is 0.4-0.7g/time

Vertical steam 0.4-0.7g/time

Water spray is 0.3-0.6g/time

Anti-calc and anti-drip feature

Self-clean feature(amount of clean is >=100g/optional time)

Max steam: 16-28g/min

Non-stick painting plate or stainless steel plate

Minimum Quantity: 1X20"

1x20"(pcs): 3688

1x40"(pcs): 7456



PSI-646



MADE IN CHINA

### **Specifications**

Adjustable temperature for all kinds of fabrics

Adjustable steam

230V, 1600-2000W

Burst of steam is 0.4-0.7g/time

Vertical steam 0.4-0.7g/time

Water spray is 0.3-0.6g/time

Anti-calc and anti-drip feature

Self-clean feature(amount of clean >=100g/optional time)

Non-stick painting plate or stainless steel plate

Minimum Quantity: 1X20"

1x20"(pcs) 3848

1x40"(pcs) 7888



PSI-653F



MADE IN CHINA

### **Specifications**

Adjustable temperature for all kinds of fabrics

Water spray feature: 0.5-1.0g/time

Burst of steam function: 0.5-1.0g/time

Indication light automatically turns on when power on

Power cord can turn to any angle, use more easily

Anti-calc and anti-drip feature

Self-clean feature(amount of clean >=100g/optional time)

Soft gum on handle

230V

2500W

Minimum Quantity: 1X20"

1x20"(pcs) 3472

1x40"(pcs) 7232



PSI-658



MADE IN CHINA

#### **Specifications**

230V

50Hz

2000W

GS

Adjustable temperature for different fabrics

Continuous steam

Burst of steam: 0.4-0.7g/time

Vertical steam: 0.4-0.7g/time

Water spray: 0.4-0.4g/time

Anti-drip and anti-calc feature (optional function)

Self-clear, feature, amount of clean is ≥80g/min

Powerful steam spray function



PSI-666W



MADE IN CHINA

### **Specifications**

Adjustable temperature for all kinds of fabrics

230V,1800W

Powerful steam spurt function

Vertical steam: 0.4-1.0g/time

Water spray: 0.3-0.6g/time

Burst of steam: 0.4-1.0g/time

Anti-drip, anti-calc feature(Optional function)

With self-clean feature, wash amount>=100g/min

Max steam: 16-28/min

Adjustable steam

Water gauge with 225ml

Minimum Quantity: 1X20"

1x20"(pcs) 4212

1x40"(pcs) 8856



PSI-668P



MADE IN CHINA

#### **Specifications**

Adjustable temperature for all kinds of fabrics 120/230v, 1200/1800w

Powerful steam spurt function Vertical steam: 0.4-0.7g/time Water spray: 0.3-0.6g/time Burst of steam: 0.4-0.7g/time

Anti-drip, anti-calc feature(Optional function)
Self-clean feature, wash amount>=100g/min

Max steam: 16-28/min

Adjustable steam

Temperature controlled by eletronic

Large LCD display

Automatically cuts off feature

15 mins when placing vertically

Minimum Quantity: 1X20"

1x20"(pcs) 3378

1x40"(pcs) 7002



PSI-683



MADE IN CHINA

#### **Specifications**

Adjustable temperature for all kinds of fabrics

Water spray feature: 0.5-1.0g/time

Burst of steam function: 0.5-1.0g/time

Indication light automatically turns on when power on

Power cord can turn to any angle

More flexible

Anti-calc and anti-drip feature

Self-clean feature(amount of clean >=100g/optional time)

Soft hand grip

300 ML capacity of water tank

Vertical steam: 0.5-1.0g/time

GS, 230V, 2000W

Minimum Quantity: 1X20"

1x20"(pcs) 3288

1x40"(pcs) 6840



PSI-686



MADE IN CHINA

### **Specifications**

Capacity of water tank: 250ml

Spraying Teflon or Stainless Steel soleplate

Stainless steel decoration

Adjustable temperature for all kinds of fabrics

Anti-drip feature

Anti-calc feature

Adjustable steam control knob

Strengthen blasting steam feature

Self-clean feature

Overheating protection, safe and reliable

Amount of steam: 15-30g/min

Amount of strengthening steam: 0.4-0.8g/time

Amount of water spray: 0.4-0.8g/time

220V/1600-2000W



PSI-701



MADE IN CHINA

#### **Specifications**

230V/50HZ/2200W/GS 120V/60HZ/1200W/UL

Plastic body with plating for decoration plastic handle with soft rubber for comfortable grasping transparent plastic water tank easy to observe the water level Capacity of the water tank: 300ML Heating plate with high precision tip design anti-drip function

Electronic temperature control

LCD display

adjustable continuous steam, water spray, vertical steam surge of steam and dry-iron functions

Type of soleplates handling: non-stick, ceramics and stainless steel anti-drip, self-clean, anti-calc and automatic power-off functions light indicator to indicate the working condition

Dimensions: L(294)xW(120)xH(146)mm





MADE IN CHINA

#### **Specifications**

220-240V/50Hz/1800-2200W/GS

Overall size: 120(W)X144(H)X287(L)mm

Soleplate size: 120(W)X234(L)mm

transparent plastic water tank capacity:300ml

Dry-iron/Water spray/Continuous steam

Burst of steam / Vertical steam function

Automatic clean function

Continuous steam: 25-35g/min

Water spray : ≥0.5g/shot

Burst of steam : ≥0.6g/shot

With power instructions

Soft grip handle

Non-stick painting soleplate

Anti-drip and anti-calc feature



PSI-808E



MADE IN CHINA

#### **Specifications**

Adjustable temperature for all kinds of fabrics

Continuous steam: 18-40g/min

Burst of steam: 0.5-1.0g/time

Vertical steam: 0.5-1.0g/time

Water spray: 0.5-1.0g/time

Anti-calc and anti-drip feature

Self-clean feature(amount of clean >=100g/optional time)

220-240v,2200w

Non-stick painting plate or stainless steel plate

Auto shut off feature

15 minutes when placing vertically

30 secs when placing horizontally

Minimum Quantity: 1X20"

1x20"(pcs) 3018

1x40"(pcs) 6342



PSI-848



MADE IN CHINA

### **Specifications**

Adjustable temperature for different fabrics

Adjustable steam

Vertical steam: 0.4-0.8g/time

Water spray: 0.3-0.7g/time

Anti-drip and anti-calc feature

Soft hand grip

Self-clean feature wash amount ≥100g

Max amount of steam: 22-40/time

Steam & spray function

